I hereby certify that this correspondence is being deposited with the U.S. Postal Service as Express Mail, Airbill No. <u>EU1863136070</u> in an envelope addressed to: Commissioner for Patents, Washington, DC 20231, on the date shown below.

Dated: June 18 , 2002

Signature Linda A Bourg)

6)GP/1642

Docket No.: HO-P02080US1

(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of: Seiichi P. Matsuda, et al.

Application No.: 10/041,018

n No.: 10/041,018 Group Art Unit: N/A

Filed: January 7, 2002 Examiner: Not Yet Assigned

For:

DITERPENE-PRODUCING UNICELLULAR

ORGANISM

INFORMATION DISCLOSURE STATEMENT (IDS)

RECEIVED

Commissioner for Patents Washington, DC 20231

JUN 2 5 2002

Dear Sir:

TECH CENTER 1600/2900

Pursuant to 37 CFR 1.56, the attention of the Patent and Trademark Office is hereby directed to the references listed on the attached PTO/SB/08. It is respectfully requested that the information be expressly considered during the prosecution of this application, and that the references be made of record therein and appear among the "References Cited" on any patent to issue therefrom.

This Information Disclosure Statement is filed before the mailing date of a first Office Action on the merits as far as is known to the undersigned.

A copy of the references listed on the attached Form PTO/SB/08 is attached hereto.

A concise explanation of relevance of the items listed on form PTO/SB/08 is:

[X] not given

- [] given for each listed item
- [] given for only non-English language listed items

Application No.: 10/041,007 Docket No.: HO-P02081US1

[] in the form of an English language copy of a Search Report from a foreign patent office, issued in a counterpart application, which refers to the relevant portions of the references

While the information and references disclosed in this Information Disclosure Statement may be "material" pursuant to 37 CFR 1.56, it is not intended to constitute an admission that any patent, publication or other information referred to therein is "prior art" for this invention unless specifically designated as such.

In accordance with 37 CFR 1.97(g), the filing of this Information Disclosure Statement shall not be construed to mean that a search has been made or that no other material information as defined in 37 CFR 1.56(a) exists. It is submitted that the Information Disclosure Statement is in compliance with 37 CFR 1.98 and the Examiner is respectfully requested to consider the listed references.

The Commissioner is hereby authorized to charge any fees necessary in the filing of this document to our Deposit Account No. 06-2375, under Order No. HO-P02080US1. A duplicate copy of this paper is enclosed.

Dated: June 18, 2002

Respectfully submitted,

By <u>Clina beth a Hart</u> Elizabeth A. Hart, Reg. No. 50,931

Registered Patent Agent

FULBRIGHT & JAWORSKI L.L.P.

1301 McKinney, Suite 5100 Houston, Texas 77010-3095

(713) 651-5698

(713) 651-5246 (Fax)

Attorneys for Applicant

PTO/SB/08A (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction of Information unless it contains a valid OMB control number.

Sub	stitute for form 1449A/PTO			Complete if Known		
				Application Number	10/041,018	
11	NFORMATION	1 DI	SCLOSURE	Filing Date	January 7, 2002	
S	TATEMENT B	3Y /	APPLICANT	First Named Inventor	Seiichi P. Matsuda	
				Art Unit	1642	
	(use as many she	eets as	necessary)	Examiner Name	Not Yet Assigned	
Sheet	1	of	3	Attorney Docket Number	HO-P02080US1	

			U.S. PA	TENT DOCUMENTS	
Examiner nitials*	Cite No.1	Document Number Number-Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	AA	4,849,410- /	07-18-1989	R. Jacobs et al.	
	AB	5,151,352-	09-29-1992	H. Nakano et al.	
	AC	5,189,187-	02-23-1993	H. Nakano et al.	
	AD	5,429,939-	07-04-1995	N. Misawa et al.	
	AE	5,473,057-	12-05-1995	W. Fenical et al.	
	AF	5,589,581- /	12-31-1996	N. Misawa et al.	
	AG	5,602,184-	02-11-1997	C. Myers	
	AH	5,637,484-	06-10-1997	Y. Yukimune et al.	
	Al	5,968,789-	10-19-1999	Y. Yukimune et al.	
	AJ	6,235,287 B1- /	05-22-2001	M. Weidner et al.	ECEIVED
	AK			f.	HEUCIVED
	AL				
	AM				UN 2 5 2002
	AN				9 - Z 0 - Z 0 U Z
	AO				
	AP			TECL	CENTER 1600/2900
	AQ			ILVI	1 OF 14 1 FU 01/5 300
	AR				
	AS				
	AT				

	FOREIGN PATENT DOCUMENTS								
Examiner Initials*	Cite No.1	Foreign Patent Document Country Code ³ -Number ⁴ -Kind Code ⁵ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T ⁰			

Examiner		Date	
Signature	·	Considered	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant

¹ Applicant's unique citation designation number (optional). ² See attached Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the application number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

RECEIVED

JUN 2 5 2002

[E] 2014 7.9 500

PTO/SB/08B (10-01)

TECH CENTER 1600/2900 Approved for use through 10/31/2002.OMB 0651-0031

U. S. Palent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reducition of information unless it contains a valid OMB control number.

Substit	ute for form 1449B	J/PTO		Complete if Known	
				Application Number	10/041,018
INF	ORMATI	ON DISC	CLOSURE	Filing Date	January 7, 2002
ST	ATEMEN	T BY AP	PLICANT	First Named Inventor	Seiichi P. Matsuda
				Group Art Unit	1642
	(use as mar	ny sheets as ned	cessary)	Examiner Name	Not Yet Assigned
Sheet	2	of	3	Attorney Docket Number	HO-P02080US1

		OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS	_
Examiner nitials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
	CA	ALBRECHT, M. ET AL., Synthesis of atypical cyclic and acyclic hydroxy carotenoids in Escherichia coli transformants. J Biotechnol. 1997 Dec 3;58(3):177-85.	
	СВ	BAILEY, J.E. (1991) Toward a Science of Metabolic Engineering. Science 252: 1668-1675.	H
/	СС	BASSON, M.E. ET AL. (1987) Identifying mutations in duplicated functions in <i>Saccharomyces cerevisiae</i> : recessive mutations in HMG-CoA reductase genes. Genetics 117: 645-655.	
1	CD	BASSON, M.E. (1986) Saccharomyces cerevisiae contains two functional genes encoding 3-hydroxy-3-methylglutaryl-coenzyme A reductase. Proc. Natl. Acad. Sci. USA 83: 5563-67.	
/	CE	COREY E. J. ET AL. (1993) Isolation of an <i>Arabidopsis thaliana</i> gene encoding cycloartenol synthase by functional expression in a yeast mutant lacking lanosterol synthase by the use of a chromatographic screen. Proc Natl Acad Sci USA., 90(24):11628-32.	
/	CF	CROWLEY, J.H., ET AL., A mutation in a purported regulatory gene affects control of sterol uptake in Saccharomyces cerevisiae. J Bacteriol. 1998 Aug;180(16):4177-83.	
	CG	FUNK, C. ET AL. (1994) Arch. Biochem. Biophys. 308: 258-66.	
	СН	HARA, M. ET AL. (1989) J. Antibiotics 42:1768-1774.	L
/	CI	HEZARI, M. ET AL., Purification and characterization of taxa-4(5),11(12)-diene synthase from Pacific yew (Taxus brevifolia) that catalyzes the first committed step of taxol biosynthesis. Arch Biochem Biophys. 1995 Oct 1;322(2):437-44.	
/	CJ	JIANG, Y. ET AL., BTS1 encodes a geranylgeranyl diphosphate synthase in Saccharomyces cerevisiae. (1995) J. Biol. Chem. 270 (37): 21793-21799.	Γ
1	CK	KAJIWARA, S. ET AL., Expression of an exogenous isopentenyl diphosphate isomerase gene enhances isoprenoid biosynthesis in Escherichia coli. Biochem J. 1997 Jun 1;324 (Pt 2):421-6.	
1	CL	KHOLODENKO, B.N., ET AL., Metabolic design: how to engineer a living cell to desired metabolite concentrations and fluxes. Biotechnol Bioeng 1998 Jul 20: 59(2):239-247.	
1	СМ	LAFEVER, R.E., ET AL., Diterpenoid resin acid biosynthesis in conifers: enzymatic cyclization of geranylgeranyl pyrophosphate to abietadiene, the precursor of abietic acid, Arch Biochem Biophys. 1994 Aug 15;313(1):139-49	
(CN	LEAK, F.W. ET AL., In yeast, <i>upc2-1</i> confers a decrease in tolerance to LiCl and NaCl, which can be suppressed by the p-type ATPase encoded by ENA2. (1999) DNA Cell Biol. 18(2): 133-139.	
/	СО	LEARNED, R.M. ET AL., 3-Hydroxy-3-methylglutaryl-coenzyme A reductase from Arabidopsis thaliana is structurally distinct from the yeast and animal enzymes, Proc Natl Acad Sci U S A. 1989 Apr;86(8):2779-83.	
/	СР	LEWIS T.L. ET AL., Pleiotropic mutations in Saccharomyces cerevisiae affecting sterol uptake and metabolism. (1988) Yeast 4(2):93-106.	
	CQ	LIU, SJ. ET AL., A novel genetically engineered pathway for synthesis of poly (hydroxyalkanoic acids) in <i>Escherichia coli</i> . (2000) Appl. Env. Microbiol. 66(2): 739-743.	
	CR	MISAWA, N. ET AL., Metabolic engineering for the production of carotenoids in non-carotenogenic bacteria and yeasts. J Biotechnol. 1997 Jan 3;59(3):169-81.	
1	CS	MISAWA, N. ET AL., Expression of a tomato cDNA coding for phytoene synthase in Escherichia coli, phytoene formation in vivo and in vitro, and functional analysis of the various truncated gene products. J Biochem (Tokyo). 1994 Nov;116(5):980-5.	
	СТ	MISAWA, N. ET AL., Production of beta-carotene in Zymomonas mobilis and Agrobacterium tumefaciens by introduction of the biosynthesis genes from Erwinia uredovora. Appl Environ	

RECEIVED

JUN 2 5 2002

3014 2 0 2002

PTO/SB/08B (10-01)

TECH CENTER 1600/2900 pproved for use through 10/31/2002.OMB 0651-0031

TECH CENTER 1600/2900 pproved for use through 10/31/2002.OMB 0651-0031

Under the Paperwork Reduction Attro-1995 of persons are required to respond to a collection of information unless it contains a valid OMB control number.

Su	bstitute for form 1449B/F	то		Complete if Known		
				Application Number	10/041,018	
11	NFORMATIC	ON DIS	CLOSURE	Filing Date	January 7, 2002	
S	TATEMENT	BY AF	PPLICANT	First Named Inventor	Seiichi P. Matsuda	
				Group Art Unit	1642	
	(use as many	sheets as ne	cessary)	Examiner Name	Not Yet Assigned	
Sheet	3	of	3	Attorney Docket Number	HO-P02080US1	

Microbiol. 1991 Jun;57(6):1847-9. CU MISAWA, N. ET AL., Production of beta-carotene in Zymomonas mobilis and Agrobit tumefaciens by introduction of the biosynthesis genes from Erwinia uredovora. App Microbiol. 1991 Jun;57(6):1847-9. CV MIURA, Y. ET AL., Production of lycopene by the food yeast, Candida utilis not naturally synthesize carotenoid. Biotechnol Bioeng. 1998 Apr 20-May 5; 3):306-8. CW MIURA, Y. ET AL., Production of the carotenoids lycopene, beta-carotene, and asta the food yeast Candida utilis. Appl Environ Microbiol. 1998 Apr;64(4):1226-9. CX NESS F. ET AL., SUT1 is a putative Zn[II]2Cys6-transcription factor whose upregule enhances both sterol uptake and synthesis in aerobically growing Saccharomyces or cells. Eur J Biochem 2001 Mar;268(6):1585-95 CY PARKS, L.W. ET AL., Physiological implications of sterol biosynthesis in yeast. (1987) Rev. Microbiol. 49:95-116. CZ PARKS, L.W. ET AL., Biochemical and physiological effects of sterol alterations in yereview. (1995) Lipids 30(3): 227-230. CA1 PETERS, R.J., ET AL., Abietadiene synthase from grand fir (Abies grandis): charact and mechanism of action of the "pseudomature" recombinant enzyme. Biochemistry Dec 19:39(50):15592-602. CB1 POLAKOWSKI, T.ET AL. (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida uthrough metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabol 2(3): 157-158.	that does 58(2- xanthin in
CU MISAWA, N. ET AL., Production of beta-carotene in Zymomonas mobilis and Agrobit tumefaciens by introduction of the biosynthesis genes from Erwinia uredovora. App Microbiol. 1991 Jun;57(6):1847-9. CV MIURA, Y. ET AL., Production of lycopene by the food yeast, Candida utilis not naturally synthesize carotenoid. Biotechnol Bioeng. 1998 Apr 20-May 5; 3):306-8. CW MIURA, Y. ET AL., Production of the carotenoids lycopene, beta-carotene, and asta the food yeast Candida utilis. Appl Environ Microbiol. 1998 Apr;64(4):1226-9. CX NESS F. ET AL., SUT1 is a putative Zn[II]2Cys6-transcription factor whose upregula enhances both sterol uptake and synthesis in aerobically growing Saccharomyces of cells. Eur J Biochem 2001 Mar;268(6):1585-95 CY PARKS, L.W. ET AL., Physiological implications of sterol biosynthesis in yeast. (1988) Rev. Microbiol. 49:95-116. CZ PARKS, L.W. ET AL., Biochemical and physiological effects of sterol alterations in yeareiew. (1995) Lipids 30(3): 227-230. CA1 PETERS, R.J., ET AL., Abietadiene synthase from grand fir (Abies grandis): charact and mechanism of action of the "pseudomature" recombinant enzyme. Biochemistry Dec 19:39(50):15592-602. CB1 POLAKOWSKI, T.ET AL. (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida uthrough metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabolic 2(3): 157-158.	that does 58(2- xanthin in
tumefaciens by introduction of the biosynthesis genes from Erwinia uredovora. App Microbiol. 1991 Jun;57(6):1847-9. CV MIURA, Y. ET AL., Production of lycopene by the food yeast, Candida utilis not naturally synthesize carotenoid. Biotechnol Bioeng. 1998 Apr 20-May 5; 3):306-8. CW MIURA, Y. ET AL., Production of the carotenoids lycopene, beta-carotene, and asta the food yeast Candida utilis. Appl Environ Microbiol. 1998 Apr;64(4):1226-9. CX NESS F. ET AL., SUT1 is a putative Zn[II]2Cys6-transcription factor whose upregule enhances both sterol uptake and synthesis in aerobically growing Saccharomyces cicells. Eur J Biochem 2001 Mar;268(6):1585-95 CY PARKS, L.W. ET AL., Physiological implications of sterol biosynthesis in yeast. (1998) Rev. Microbiol. 49:95-116. CZ PARKS, L.W. ET AL., Biochemical and physiological effects of sterol alterations in year eview. (1995) Lipids 30(3): 227-230. CA1 PETERS, R.J., ET AL., Abietadiene synthase from grand fir (Abies grandis): charact and mechanism of action of the "pseudomature" recombinant enzyme. Biochemistry Dec 19:39(50):15592-602. CB1 POLAKOWSKI, T.ET AL. (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida uthrough metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabolic 2(3): 157-158.	that does 58(2- xanthin in
Microbiol. 1991 Jun;57(6):1847-9. CV MIURA, Y. ET AL., Production of lycopene by the food yeast, Candida utilis not naturally synthesize carotenoid. Biotechnol Bioeng. 1998 Apr 20-May 5; 3):306-8. CW MIURA, Y. ET AL., Production of the carotenoids lycopene, beta-carotene, and asta the food yeast Candida utilis. Appl Environ Microbiol. 1998 Apr;64(4):1226-9. CX NESS F. ET AL., SUT1 is a putative Zn[II]2Cys6-transcription factor whose upregulatenhances both sterol uptake and synthesis in aerobically growing Saccharomyces occells. Eur J Biochem 2001 Mar;268(6):1585-95 CY PARKS, L.W. ET AL., Physiological implications of sterol biosynthesis in yeast. (1998) Rev. Microbiol. 49:95-116. CZ PARKS, L.W. ET AL., Biochemical and physiological effects of sterol alterations in yereview. (1995) Lipids 30(3): 227-230. CA1 PETERS, R.J., ET AL., Abietadiene synthase from grand fir (Abies grandis): charact and mechanism of action of the "pseudomature" recombinant enzyme. Biochemistry Dec 19:39(50):15592-602. CB1 POLAKOWSKI, T.ET AL., (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida uthrough metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabol 2(3): 157-158.	that does 58(2- xanthin in
CV MIURA, Y. ET AL., Production of lycopene by the food yeast, Candida utilis not naturally synthesize carotenoid. Biotechnol Bioeng. 1998 Apr 20-May 5; 3):306-8. CW MIURA, Y. ET AL., Production of the carotenoids lycopene, beta-carotene, and asta the food yeast Candida utilis. Appl Environ Microbiol. 1998 Apr;64(4):1226-9. CX NESS F. ET AL., SUT1 is a putative Zn[II]2Cys6-transcription factor whose upregule enhances both sterol uptake and synthesis in aerobically growing Saccharomyces colls. Eur J Biochem 2001 Mar;268(6):1585-95 CY PARKS, L.W. ET AL., Physiological implications of sterol biosynthesis in yeast. (1998 Rev. Microbiol. 49:95-116. CZ PARKS, L.W. ET AL., Biochemical and physiological effects of sterol alterations in year eview. (1995) Lipids 30(3): 227-230. CA1 PETERS, R.J., ET AL., Abietadiene synthase from grand fir (Abies grandis): charact and mechanism of action of the "pseudomature" recombinant enzyme. Biochemistry Dec 19:39(50):15592-602. CB1 POLAKOWSKI, T.ET AL. (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida uthrough metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabol 2(3): 157-158.	58(2- xanthin in
not naturally synthesize carotenoid. Biotechnol Bioeng. 1998 Apr 20-May 5; 3):306-8. CW MIURA, Y. ET AL., Production of the carotenoids lycopene, beta-carotene, and asta the food yeast Candida utilis. Appl Environ Microbiol. 1998 Apr;64(4):1226-9. CX NESS F. ET AL., SUT1 is a putative Zn[II]2Cys6-transcription factor whose upregula enhances both sterol uptake and synthesis in aerobically growing Saccharomyces of cells. Eur J Biochem 2001 Mar;268(6):1585-95. CY PARKS, L.W. ET AL., Physiological implications of sterol biosynthesis in yeast. (1997) Rev. Microbiol. 49:95-116. CZ PARKS, L.W. ET AL., Biochemical and physiological effects of sterol alterations in year review. (1995) Lipids 30(3): 227-230. CA1 PETERS, R.J., ET AL., Abietadiene synthase from grand fir (Abies grandis): charact and mechanism of action of the "pseudomature" recombinant enzyme. Biochemistry Dec 19:39(50):15592-602. CB1 POLAKOWSKI, T.ET AL. (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida uthrough metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabol 2(3): 157-158.	58(2- xanthin in
3):306-8. CW MIURA, Y. ET AL., Production of the carotenoids lycopene, beta-carotene, and asta the food yeast Candida utilis. Appl Environ Microbiol. 1998 Apr;64(4):1226-9. CX NESS F. ET AL., SUT1 is a putative Zn[II]2Cys6-transcription factor whose upregulate enhances both sterol uptake and synthesis in aerobically growing Saccharomyces of cells. Eur J Biochem 2001 Mar;268(6):1585-95 CY PARKS, L.W. ET AL., Physiological implications of sterol biosynthesis in yeast. (1997) Rev. Microbiol. 49:95-116. CZ PARKS, L.W. ET AL., Biochemical and physiological effects of sterol alterations in year review. (1995) Lipids 30(3): 227-230. CA1 PETERS, R.J., ET AL., Abietadiene synthase from grand fir (Abies grandis): charact and mechanism of action of the "pseudomature" recombinant enzyme. Biochemistry Dec 19:39(50):15592-602. CB1 POLAKOWSKI, T.ET AL. (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida uthrough metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabol 2(3): 157-158.	xanthin in
CW MIURA, Y. ET AL., Production of the carotenoids lycopene, beta-carotene, and asta the food yeast Candida utilis. Appl Environ Microbiol. 1998 Apr;64(4):1226-9. CX NESS F. ET AL., SUT1 is a putative Zn[II]2Cys6-transcription factor whose upregular enhances both sterol uptake and synthesis in aerobically growing Saccharomyces of cells. Eur J Biochem 2001 Mar;268(6):1585-95 CY PARKS, L.W. ET AL., Physiological implications of sterol biosynthesis in yeast. (1987) Rev. Microbiol. 49:95-116. CZ PARKS, L.W. ET AL., Biochemical and physiological effects of sterol alterations in year review. (1995) Lipids 30(3): 227-230. CA1 PETERS, R.J., ET AL., Abietadiene synthase from grand fir (Abies grandis): charact and mechanism of action of the "pseudomature" recombinant enzyme. Biochemistry Dec 19:39(50):15592-602. CB1 POLAKOWSKI, T.ET AL. (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida uthrough metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabol 2(3): 157-158.	
the food yeast Candida utilis. Appl Environ Microbiol. 1998 Apr;64(4):1226-9. CX NESS F. ET AL., SUT1 is a putative Zn[II]2Cys6-transcription factor whose upregular enhances both sterol uptake and synthesis in aerobically growing Saccharomyces of cells. Eur J Biochem 2001 Mar;268(6):1585-95 CY PARKS, L.W. ET AL., Physiological implications of sterol biosynthesis in yeast. (1988) Rev. Microbiol. 49:95-116. CZ PARKS, L.W. ET AL., Biochemical and physiological effects of sterol alterations in year review. (1995) Lipids 30(3): 227-230. CA1 PETERS, R.J., ET AL., Abietadiene synthase from grand fir (Abies grandis): charact and mechanism of action of the "pseudomature" recombinant enzyme. Biochemistry Dec 19:39(50):15592-602. CB1 POLAKOWSKI, T.ET AL. (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida uthrough metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabolic 2(3): 157-158.	
CX NESS F. ET AL., SUT1 is a putative Zn[II]2Cys6-transcription factor whose upregular enhances both sterol uptake and synthesis in aerobically growing Saccharomyces of cells. Eur J Biochem 2001 Mar;268(6):1585-95 CY PARKS, L.W. ET AL., Physiological implications of sterol biosynthesis in yeast. (198 Rev. Microbiol. 49:95-116. CZ PARKS, L.W. ET AL., Biochemical and physiological effects of sterol alterations in year review. (1995) Lipids 30(3): 227-230. CA1 PETERS, R.J., ET AL., Abietadiene synthase from grand fir (Abies grandis): charact and mechanism of action of the "pseudomature" recombinant enzyme. Biochemistry Dec 19:39(50):15592-602. CB1 POLAKOWSKI, T.ET AL. (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida uthrough metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabolic 2(3): 157-158.	ntion
enhances both sterol uptake and synthesis in aerobically growing Saccharomyces colls. Eur J Biochem 2001 Mar;268(6):1585-95 CY PARKS, L.W. ET AL., Physiological implications of sterol biosynthesis in yeast. (1998) Rev. Microbiol. 49:95-116. CZ PARKS, L.W. ET AL., Biochemical and physiological effects of sterol alterations in year view. (1995) Lipids 30(3): 227-230. CA1 PETERS, R.J., ET AL., Abietadiene synthase from grand fir (Abies grandis): charact and mechanism of action of the "pseudomature" recombinant enzyme. Biochemistry Dec 19:39(50):15592-602. CB1 POLAKOWSKI, T.ET AL. (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida upthrough metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabolic 2(3): 157-158.	10011
cells. Eur J Biochem 2001 Mar;268(6):1585-95 CY PARKS, L.W. ET AL., Physiological implications of sterol biosynthesis in yeast. (198 Rev. Microbiol. 49:95-116. CZ PARKS, L.W. ET AL., Biochemical and physiological effects of sterol alterations in year review. (1995) Lipids 30(3): 227-230. CA1 PETERS, R.J., ET AL., Abietadiene synthase from grand fir (Abies grandis): charact and mechanism of action of the "pseudomature" recombinant enzyme. Biochemistry Dec 19:39(50):15592-602. CB1 POLAKOWSKI, T.ET AL. (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida us through metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabolic 2(3): 157-158.	
CY PARKS, L.W. ET AL., Physiological implications of sterol biosynthesis in yeast. (198 Rev. Microbiol. 49:95-116. CZ PARKS, L.W. ET AL., Biochemical and physiological effects of sterol alterations in year review. (1995) Lipids 30(3): 227-230. CA1 PETERS, R.J., ET AL., Abietadiene synthase from grand fir (Abies grandis): charact and mechanism of action of the "pseudomature" recombinant enzyme. Biochemistry Dec 19:39(50):15592-602. CB1 POLAKOWSKI, T.ET AL. (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida uthrough metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabolic 2(3): 157-158.	i evisiae
Rev. Microbiol. 49:95-116. CZ PARKS, L.W. ET AL., Biochemical and physiological effects of sterol alterations in your review. (1995) Lipids 30(3): 227-230. CA1 PETERS, R.J., ET AL., Abietadiene synthase from grand fir (Abies grandis): charact and mechanism of action of the "pseudomature" recombinant enzyme. Biochemistry Dec 19:39(50):15592-602. CB1 POLAKOWSKI, T.ET AL. (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida us through metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabolic 2(3): 157-158.	15)Annu
CZ PARKS, L.W. ET AL., Biochemical and physiological effects of sterol alterations in year review. (1995) Lipids 30(3): 227-230. CA1 PETERS, R.J., ET AL., Abietadiene synthase from grand fir (Abies grandis): charact and mechanism of action of the "pseudomature" recombinant enzyme. Biochemistry Dec 19:39(50):15592-602. CB1 POLAKOWSKI, T.ET AL. (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida us through metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabolic 2(3): 157-158.	<i>5,</i> , 4111d.
review. (1995) Lipids 30(3): 227-230. CA1 PETERS, R.J., ET AL., Abietadiene synthase from grand fir (Abies grandis): charact and mechanism of action of the "pseudomature" recombinant enzyme. Biochemistry Dec 19:39(50):15592-602. CB1 POLAKOWSKI, T.ET AL. (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida uthrough metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabolic 2(3): 157-158.	east-a
CA1 PETERS, R.J., ET AL., Abietadiene synthase from grand fir (Abies grandis): charact and mechanism of action of the "pseudomature" recombinant enzyme. Biochemistry Dec 19:39(50):15592-602. CB1 POLAKOWSKI, T.ET AL. (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida uthrough metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabolic 2(3): 157-158.	
and mechanism of action of the "pseudomature" recombinant enzyme. Biochemistry Dec 19:39(50):15592-602. CB1 POLAKOWSKI, T.ET AL. (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida us through metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabolic 2(3): 157-158.	erization
Dec 19:39(50):15592-602. CB1 POLAKOWSKI, T.ET AL. (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida uthrough metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabolic 2(3): 157-158.	
CB1 POLAKOWSKI, T.ET AL. (1998) Appl. Microbiol. Biotechnol. 49: 66-71. CC1 RAVN, M.M., ET AL., Stereochemistry of the cyclization-rearrangement of (+)-copally diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida uthrough metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabolic 2(3): 157-158.	
diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida u through metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabol 2(3): 157-158.	
diphosphate to (-)-abietadiene catalyzed by recombinant abietadiene synthase from grandis. Org Lett. 2000 Mar 9;2(5):573-6 CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida uthrough metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabolic 2(3): 157-158.	·I
CD1 SHIMADA, H. ET AL., Increased carotenoid production by the food yeast Candida u through metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabol 2(3): 157-158.	Abies
through metabolic engineering of the isoprenoid pathway. Appl Environ Microbiol. Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabol 2(3): 157-158.	
Jul;64(7):2676-80 CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabol 2(3): 157-158.	tilis
CE1 STEPHANOPOLOUS, G. (2000) Bioinformatics and Metabolic Engineering. Metabol 2(3): 157-158.	1998
2(3): 157-158.	
	. Eng.
CF1 STOFER VOGEL, B. ET AL., Abietadiene synthase from grand fir (Abies grandis).	
isolation, characterization, and bacterial expression of a bifunctional diterpene cyclas	
involved in resin acid biosynthesis. J Biol Chem. 1996 Sep 20;271(38):23262-8	
CG1 TRAPP, S.C. ET AL., Genomic organization of plant terpene synthases and molecu	lar
evolutionary implications. Genetics. 2001 Jun;1158(2):811-832	
CH1 WANG, CW. ET AL., Engineered isoprenoid pathway enhances astaxanthin produc	tion in
Escherichia coli. (1999) Biotech. Bioeng. 62(2): 235-241.	
CI1 WILDUNG, M.R. ET AL., A cDNA clone for taxadiene synthase, the diterpene cyclas	e that
catalyzes the committed step of taxol biosynthesis. J. Biol Chem. 1966 Apr 19;271(
4.	16):9201-
CJ1 YAMANO, S. ET AL., Metabolic engineering for production of beta-carotene and lyc	
Saccharomyces cerevisiae. Biosci Biotechnol Biochem. 1994 Jun;58(6):1112-4	opene in
CK1	opene in

Examiner	 Date	1
Signature	 Considered	0

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English language Translation is attached.